

## MC-1310 Metal & Non-Metal Combo Laser Cutting Machine



**MC-1310** is new product with low cost, capable for stainless steel, mild steel, acrylic, leather, fabric, MDF and wood, carbon paper or related material laser cutting and engraving.

It is with:

2in1 laser head for metals and non-metals work with auto focus for metals.









Hiwin Linear rail I and high quality belt driving system.

Leadshine motors and drivers.

Laser tube work time 10000 hours, warranty of 9 months.

Industrial CW-5200 water chilling system

Professional LaserCAD control system, compatible with many formats files.

|   |  |  |  |
|---|--|--|--|
|    | With Reci Co2 laser tube as standard, lifetime up to 10000 hours and warranty of 9 months. |    | 2in1 laser head for non-metals and metals cutting and engraving with auto focus system |
|    | Strong and stable power supply   |    | LaserCAD control system, Convenient & Easy Control Panel                               |
|    | HiWin linear rail and high quality belt driving system                                     |    | High quality imported material laser lens, high reflectivity and small focal spot.     |
|  | Neat control function and display area   |  | Leadshine high quality stepper motors&drivers  |


## Parameters:

|                                |  |
|--------------------------------|--|
| Model No.                      | MC-1310  |
| Working Area                   | 1300*1000mm  |
| Laser Power                    | Reci W6 rated 130w ,Max 160w Optional W8 150w-180w |
| Resolution Ratio               | 0.025mm  |
| Engraving speed                | 0-64000mm/min                                      |
| Minimum Shaping Character      | Letter :1mm  |
| Resetting Positioning Accuracy | ±0.01mm  |
| Gross Power                    | < 1500w  |


|                                 |  |
|---------------------------------|--|
| Operation System                | LaserCAD   |
| Driving System                  | Leadshine Stepper                                    |
| Cutting Ability                 | Acrylic 35mm, stainless steel 1.5mm, mild steel 2mm  |
| Operating Temperature& Humidity | 0-45°C/5%-80%  |
| Graphic Format Supported        | BMP ,GIF , JPEG ,PCX ,TGA ,AI,TIFF,PLT, CDR ,DWG,DXF |
| Power Supply                    | 220V±10%/10A   |
| Accessories                     | Water chiller ,Air Pump ,Exhaust kit                 |
| Machine Dimensions & weight     | 1900mm*1600mm*1200mm, 450kg                          |

## Details:

### MC-1310 Combo Laser Cutting Machine



2in1 Laser Head



High Quality Driving



Neat Function Area



Reliable Power Supply



Samples



金属切割




Metal Cutting



亚克力切割



Acrylic Cutting



木板切割



Wood Cutting

Signstech International Ltd

[www.signstech.com](http://www.signstech.com) | [sales@signstech.com](mailto:sales@signstech.com) | 0086 20 62807201